

# QUICK SPECS

Compaq V900 Monitors

## MODELS

V900 Color<sup>1</sup> Monitor  
303500-001

## SPECIFICATIONS

### V900 Color<sup>1</sup> Monitor

Type	Color multi-scan with Invar Shadow Mask			
Picture Tube (diagonal)	19-in Flat Square Short Neck CRT			
Viewable (diagonal)	18 in			
Horizontal Dot Pitch	0.22 mm			
Trio Dot Pitch	0.26 mm			
Max Refresh/Preset Graphic Modes <sup>2</sup>	1800 x 1440 —	1600 x 1200 76 Hz/60 and 75 Hz	1280 x 1024 89 Hz/60, 75 and 85 Hz	
	1024 x 768 118 Hz/60, 75 and 85 Hz	800 x 600 152 Hz/60, 75 and 85 Hz	640 x 480 160 Hz/60, 75 and 85 Hz	640 x 350 160 Hz/70 and 85 Hz
Text Mode	720 x 400 70 and 85 Hz			
Mac Compatible Modes <sup>3</sup>	1152 x 870 75 Hz	832 x 624 74.5 Hz		

**COMPAQ**

## SPECIFICATIONS *(continued)*

### V900 Color<sup>1</sup> Monitor *(continued)*

<b>User-Programmable/Preset Graphic Modes</b>	15/20
<b>Anti-Glare/Anti-Static</b>	Yes/Yes
<b>Plug and Play</b>	Yes
<b>Agency Approvals/Certifications</b>	
UL Approval	Yes
ISO9241-3 VOT Guidelines Approval	Yes
MPR-II Compliant	Yes
FCC Approval	Yes
Energy Star Compliant	Yes
TCO 95 Compliant	Yes
<b>On-Screen Controls</b>	Yes
<b>Language Selection</b>	
English	Yes
German	Yes
French	Yes
Spanish	Yes
Italian	Yes
Dutch	Yes
<b>Tilt Base (up/down)</b>	15° up/5° down
<b>Swivel</b>	± 90° of center
<b>User Controls</b>	
Brightness, Contrast	Yes
Size and Positioning	Yes
Pincushion (barrel)	Yes
Trapezoid	Yes
Tilt (rotation)	Yes
Color temperature	Yes
Parallelogram	Yes
Pincushion Balance	Yes
Individual color control	Yes
Moiré Cancellation	Yes
Convergence	Yes
Overscan	Yes
Serial Number Display	Yes
Power Saver (on/off)	Yes
Display Mode	Yes
Degauss	Yes
Factory Reset	Yes
<b>Intelligent Manageability</b>	
AssetControl <sup>4</sup>	Yes
<b>USB Capabilities</b>	Yes
<b>Pixel Clock Speed</b>	202.5 MHz
<b>Input Impedance</b>	75 ohms ± 2%
<b>Horizontal Frequency</b>	30 to 96 kHz
<b>Vertical Frequency</b>	48 to 160 Hz
<b>Power Supply ALS</b>	Universal/Auto-Sensing
<b>Maximum Power Rating</b>	155 Watts
<b>Power Consumption</b>	< 15W/< 8W
<b>Synch Input</b>	TTL separate synch
<b>Signal Cable</b>	15-pin miniature D-sub
<b>Dimensions (HxWxD)</b>	18 x 18.1 x 17 in/ 45.8 x 46.1 x 43.2 cm
<b>Weight</b>	50.6 lbs/23 kg
<b>Operating Temperature</b>	50° to 95°F/10° to 35°C
<b>Operating Humidity (non-condensing)</b>	20% to 80%
<b>48 Hour Direct Replacement<sup>5</sup></b>	If this monitor fails during the parts warranty, Compaq guarantees that a new or like-new monitor replacement will be delivered within 48 hours.
<b>Limited Warranty<sup>5</sup></b>	Three-year parts, first-year labor on-site

## COMPATIBILITY

### Portables

---

Compaq Armada M300  
Compaq Armada M700  
Compaq Armada E500  
Compaq Armada E700  
Compaq Armada V300  
Compaq Armada 7800  
Compaq Armada 7400  
Compaq Armada 6500  
Compaq Armada 3500  
Compaq Armada 1750  
Compaq Armada 1700  
Compaq Armada 1500c

### Desktops

---

Compaq Deskpro EN Series Desktop  
Compaq Deskpro EN Series Minitower  
Compaq Deskpro EN Series Small Form Factor  
Compaq Deskpro EP Series

### Workstations

---

Compaq Professional Workstation XP1000  
Compaq Professional Workstation AP500

### Servers

---

Compaq ProLiant 7000 Xeon™  
Compaq ProLiant 6500 Xeon  
Compaq ProLiant 6000 Xeon  
Compaq ProLiant 5500 Xeon  
Compaq ProLiant 3000 Pentium® III  
Compaq ProLiant 3000 6/450  
Compaq ProLiant 1600 6/500  
Compaq ProLiant 1600 (100 MHz)  
Compaq ProLiant 800 (500 MHz)  
Compaq Prosignia 720

1. AssetControl monitor. AssetControl features are accessible with Compaq desktops featuring Intelligent Manageability.
2. All modes are non-interlaced unless specified otherwise.
3. Adapter required.
4. When used with Compaq Intelligent Manageability CPUs and appropriate network software.
5. Certain restrictions and exclusions apply. Consult the Compaq Customer Service Support Center for details. In Canada, consult the Product Information Center at 1-800-567-1616 for details.

Compaq, registered United States Patent and Trademark Office.

Other product names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

©1999 Compaq Computer Corporation. All rights reserved. The information in this publication is subject to change without notice Printed in Canada.